

From: Jodie Mitchell [mailto:jodie@richmondplanning.co.nz]
Sent: Wednesday, 25 September 2019 2:31 p.m.
To: 'ADeutschle (Andrew)' <Andrew.Deutschle@water.co.nz>
Subject: RE: Puketāpapa–Pukewīwī /Mt Roskill - Written Approval of the Requiring Authority

Kia ora Andrew,

Thank you for your confirmation – much appreciated.

Please be assured that the Works Over consent will be applied for well in advance of the planting – at this stage the tihi planting is scheduled for 2024 so there is ample time.

Kid regards,
Jodie

■■■ RICHMOND PLANNING LTD

Mobile 021 168 7278 jodie@richmondplanning.co.nz
P O Box 25734, St Heliers, Auckland 1740
13 Godfrey Place, Kohimarama, Auckland 1071

From: ADeutschle (Andrew) [mailto:Andrew.Deutschle@water.co.nz]
Sent: Wednesday, 25 September 2019 10:33 a.m.
To: Jodie Mitchell <jodie@richmondplanning.co.nz>
Subject: RE: Puketāpapa–Pukewīwī /Mt Roskill - Written Approval of the Requiring Authority

Hi Jodie,

In that case I am happy in principal with what is planned. Approval for the works will need to go through our Asset Protection team in the form of a Works Over consent.

Regards

Andrew

From: Jodie Mitchell [mailto:jodie@richmondplanning.co.nz]
Sent: Monday, 23 September 2019 5:48 p.m.
To: ADeutschle (Andrew) <Andrew.Deutschle@water.co.nz>
Subject: RE: Puketāpapa–Pukewīwī /Mt Roskill - Written Approval of the Requiring Authority

Kia ora Andrew,

No problem. Species have been chosen for root systems with minimal disturbance given the sensitivities of the site to assist with protection of the subsurface.

I note that Nikau is included in the draft below but is not included on the Appendix which details all plants.

Happy to provide any further clarification.

Kind regards,
Jodie

From: ADeutschle (Andrew) [<mailto:Andrew.Deutschle@water.co.nz>]
Sent: Monday, 23 September 2019 4:46 p.m.
To: Jodie Mitchell <jodie@richmondplanning.co.nz>
Subject: RE: Puketāpapa–Pukewīwī /Mt Roskill - Written Approval of the Requiring Authority

Hi Jodie,

That's for that. One further questions – what sort of root systems do these species have? Some of our more challenging issues revolve around roots damaging buried assets so I want to ensure we won't have similar issues at this site.

Regards

Andrew

From: Jodie Mitchell [<mailto:jodie@richmondplanning.co.nz>]
Sent: Thursday, 19 September 2019 10:25 a.m.
To: ADeutschle (Andrew) <Andrew.Deutschle@water.co.nz>
Subject: RE: Puketāpapa–Pukewīwī /Mt Roskill - Written Approval of the Requiring Authority

Kia ora Andrew

Thank you for your response. A planting plan has been prepared by Te Ngahere.

Below is an excerpt from the plan detailing the planting proposed for the tihi:

Tihi planting

This area encompasses a concrete circle area on the tihi currently bare with some cherry trees. This area is significantly we but likely to be dry in summer so only wet and dry tolerant species should be selected. It is proposed that low grown plants are planted here and some boulders introduced with some sprawling native species such as pōhuehue. This area is estimated to be 100m².

Table 6: DRAFT Amenity - tihi planting

Name	Botanical name	Amount (Number TBC)	Notes	Okay for archaeological sites based on Jones (2007)
Mātā	<i>Paesia scaberula</i>	++	Can become weedy. Western Springs outer fields could be a potential source.	Yes
Mikomiko	<i>Libertia grandiflora</i> or <i>Libertia ixioides</i>	++		Not but is a small plant
Mingimingi	<i>Coprosma rhamnoides</i>	+	Open areas	
Nīkau	<i>Rhopalostylis sapida</i>	+	Shaded areas	
Pōhuehue	<i>Muelhenbeckia complexa</i> var. <i>complexa</i>	++	Open areas	Yes
Pūkio	<i>Carex virgata</i>	++		Yes

Plants include a total of 415 coloniser, amenity and enrichment species suitable for archaeological sites based on the 2007 Jones publication. This is with the exception of one species that while not listed is a small plant and considered appropriate.

Please let me know if you have any other questions about the proposed works.

Ngā mihi
Jodie

■■■ RICHMOND PLANNING LTD

Mobile 021 168 7278 jodie@richmondplanning.co.nz
P O Box 25734, St Heliers, Auckland 1740
13 Godfrey Place, Kohimarama, Auckland 1071

From: ADeutschle (Andrew) [<mailto:Andrew.Deutschle@water.co.nz>]

Sent: Thursday, 19 September 2019 8:28 a.m.

To: jodie@richmondplanning.co.nz

Subject: RE: Puketāpapa–Pukewīwī /Mt Roskill - Written Approval of the Requiring Authority

Hi Jodie,

At a high level this seems fine. Would you be able to provide some more detail as to the plants to be used for this work?

Regards

Andrew Deutschle | Operations Manager - Central Networks

Watercare Services Limited

DDI: +64 9 539 7656

Mobile: +64 21 221 7656

Customer service line: +64 9 442 2222

Postal address: Private Bag 92 521, Wellesley Street, Auckland 1141, New Zealand

Physical address: 73 Remuera Road, Remuera, Auckland 1050, New Zealand

Website: www.watercare.co.nz

From: Jodie Mitchell [<mailto:jodie@richmondplanning.co.nz>]

Sent: Friday, 13 September 2019 3:28 p.m.

To: SDanks (Sharon) <Sharon.Danks@water.co.nz>

Subject: FW: Puketāpapa–Pukewīwī /Mt Roskill - Written Approval of the Requiring Authority

Kia ora Sharon

I am contacting you on behalf of the Tūpuna Maunga Authority who is undertaking a maunga wide revegetation programme.

Included in the next stage is the removal of exotic vegetation and native revegetation works on Puketāpapa–Pukewīwī/Mt Roskill.

Watercare Services Ltd hold a designation #9437 for water supply purposes at the tihi on Puketāpapa. Proposed works within the designation are limited to:

- removal of a Prunus sp. (Cherry) tree; and
- 100m² of low level native amenity planting to assist with restoration of the natural and cultural indigenous landscape.

The tree has been assessed by the consultant arborist, Arborlab as being in poor condition.

The removal and replanting works will be confined to the immediate area. Subject to health and safety requirements, access for maintenance purposes to the designation during the short duration of the works will be available. Methodology has been developed to avoid weight bearing activities over the reservoir.

In accordance with section 176(1)(b) of the Resource Management Act 1991, the written consent of the requiring authority is required to confirm that the proposed use of the land will not hinder the public works (for which the land is designated).

As the requiring authority, your approval is requested and this will accompany the resource consent application.

To assist with timeframes your response is requested by Friday 27th September.

Please contact me directly should you have any questions.

Ngā mihi

Jodie Mitchell

 **RICHMOND** PLANNING LTD

Mobile 021 168 7278 jodie@richmondplanning.co.nz

P O Box 25734, St Heliers, Auckland 1740

13 Godfrey Place, Kohimarama, Auckland 1071

